BONA **RESILIENT SOLUTION**

Product Catalogue 2025

Bona®

RETHINK, RENEW, UPGRADE

Bona Resilient Solution: Renewing Worn Floors

Struggling with old, worn, or cracked linoleum, PVC, vinyl, rubber or LVT floors? Bona Resilient Solution is an innovative and highly effective system that renews and extends the life of resilient floors. This high-quality, sustainable programme allows you to not just maintain a floor's freshness, but also to totally transform its look, without replacing it. Even in heavy-traffic areas, floors can be sealed for extra durability and long-term protection.

- **COST SAVINGS**
- **REDUCED DOWNTIME**
- **UNSURPASSED DURABILITY**
- **SUSTAINABLE**
- **IMPROVED HYGIENE**
- **DESIGN CUSTOMISATION**

BONA RESILIENT SOLUTION

RESILIENT FLOORING SOLUTION
WEAR-THRU WARRANTY
Bona.com/warranty

TIME AND MONEY SAVINGS

Replacing a floor involves ripping up the old floor, sanding and leveling the subfloor, plus installation of a new floor, which all together is very time consuming. The Bona Resilient Solution can be performed in as little as a few hours which means no need to close the commercial space resulting in convenience and better profitability.



IMPROVED HYGIENE FOR HEALTHIER SURFACES

Bona's unique process along with our coatings creates a monolithic surface that seals against microorganisms thus resulting in a floor with the highest level of hygiene standards as mandated by The Technical Rules of Biological Agents (TRBA).

*Similar results can be achieved with lacquers such as Bona Pure HD and Bona Pure ESD

UNSURPASSED DURABILITY

Heavy traffic is a given in commercial settings and the Bona Resilient Solution does not disappoint. Compared to the industry average*, Bona Pure HD stand out in terms of both wear and chemical resistance.

CHEMICAL RESISTANCE (DISINFECTANTS)



WEAR RESISTANCE

* Manufacturer's surface treatment

SUSTAINABILITY FOR A BETTER WORLD

In a study conducted by the IVL Swedish Environmental Research Institute, they found that renewing with the Bona Resilient Solution rather than replacing a resilient floor results in 90% savings in both energy and reduced carbon footprint.

ENHANCE THE WELL-BEING WITH COLOUR

Transform spaces into tranquil sanctuaries, which result in increased trust and confidence of staff, while improving employee focus and experience. The Bona Resilient Solution Colour Collection was expertly developed in collaboration with Dr. Axel Buether, a pioneer of modern evidence-based color psychology.

CONTENTS

COATINGS

Commercial 6
Sports 8
ESD 9

SANDING

Machines 10
Abrasives 14

FLOOR CARE

Cleaning 16
Commercial Maintenance 17
Sports Maintenance 18

ACCESSORIES

Tools & Accessories 18

COATINGS | RESILIENT

Resilient System	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona Pure HD

Particularly suitable for thin, hard-elastic flooring in locations exposed to high wear with excellent resistance to scratches and scuffs. Reduces porosity thus helping to simplify routine maintenance and keeping good floor hygiene. Waterborne, clear, non- yellowing formula.

Key Benefits:

- Extreme wear resistance
- Allows full traffic after 12h
- Clear, non-yellowing formula
- Long-lasting protection

Technical Data:

Category: Waterborne 2-comp
Drying time: 2-3 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 8–10 m^2/lit (per coat)

Matt	ES207920001	5 L	3	36
Silk Matt	ES207320001	5 L	3	36
Extra Matt	ES207920003	5 L	3	36
Hardener	ES205045011	0,45 L	3	

Bona LinoPrime

Quick drying PUR-based primer for pore filling of deep cleaned and sanded linoleum floors. Improves levelling and smoothness of the following coat, which typically can be applied after just 1 hour.

Key Benefits:

- Fills pores and reduces absorbency
- Ultra-quick drying
- Essential for linoleum

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-2 h between coats
Application tools: Bona Roller (5 or 11 mm)
Coverage: 20–25 m^2/lit (per coat)

	EB400620001	5 L	3	36
Hardener	EH390002001	0.2 L	3	

Bona PU Filler

2-part polyurethane filler and adhesive. Developed for quick and durable repair of resilient floorings such as PVC/LVT, Rubber and Linoleum, with great adhesion to many materials.

Key Benefits:

- Super quick hardening
- Excellent adhesion properties
- High durability

Technical Data:

Colour: Light Grey
Open Time: 3,5 min
Drying time: 30 min

	ES600003250	250 ml	12	
Green Mixer Tips	ES500000110	10	10	

SuperSport System	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona SuperSport Pure HD

Bona SuperSport Pure HD is a hard-elastic and hardwearing PUR coating for the treatment of resilient floor coverings in sports halls.

Key Benefits:
- Tough PUR protection for resilient sports floors
- Rapid drying for minimal downtime. Back on the floor in 12 hours
- Optimal application and levelling properties
- Compliant to EN 14904:2006 (Indoor Sports Surfaces)

Technical Data:
Category: Waterborne 2-comp
Drying time: 2–4 h between coats
Application: Bona Polyester Roller
Coverage: 8–10 m^2/L and application

Matt	ES201620005	5 L	3	36
Hardener	ES205045001	0,45 L	3	

Bona SuperSport Line Paint

Specialist paint for line-marking indoor sports surfaces. Waterborne and conveniently ready for use, straight from the can. With its excellent adhesion properties, it can be applied on a wide range of sports surfaces, including wood and resilient floorings.

Key Benefits:
- Superb opacity/hiding ability
- Excellent flow and levelling
- Time saving
- Waterborne and low odour

Technical Data:
Base: Polyurethane
Category: Waterborne 1-comp
Drying time: 1–2 hours between coats
Application: Fine brush or short-haired roller
Coverage: 6–10 m^2/lit (per coat) or 120–200 m of line-marking

	Yellow	EC801113101	1 L	1	
	Red	EC801413101	1 L	1	
	Orange	EC801213101	1 L	1	
	Light Blue	EC801813101	1 L	1	
	Dark Blue	EC801713101	1 L	1	
	Violet	EC801313101	1 L	1	
	Light Green	EC801613101	1 L	1	
	Dark Green	EC801513101	1 L	1	
	Black	EC801913101	1 L	1	
	White	EC802013101	1 L	1	

Bona SuperSport HD Hardener

In situations where Bona SuperSport Line Paint is used without a protective finish, Bona SuperSport HD Hardener is to be added for enhanced resilience against chemical and mechanical stress.

Hardener	WH370045001	400 ml	3	

COATINGS | RESILIENT

Resilient System	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona Pure Colour

Bona Pure Colour ensures a quick application process with accelerated drying properties and being heavily pigmented for coverage in a single coat. The Bona Pure Colour collection has been expertly developed through modern evidence-based colour psychology. By incorporating natural elements colour can profoundly enhance well-being and improve physical health. Must be overcoated by Bona Pure HD.

Key Benefits:

- Heavily pigmented for excellent hide
- Ultra-quick drying for minimal downtime
- Expertly developed through evidence-based colour psychology

Technical Data:

Category: Waterborne 2-comp
Drying time: 2-4 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 8–12 m^2/lit (per coat)

Natural Collection

	Earthy Charme	ES820120001	5 L	1	
	Terra Rouge	ES820220001	5 L	1	
	Raw Umber	ES820320001	5 L	1	
	Alabaster Beige	ES820420001	5 L	1	
	Mocha Clay	ES820520001	5 L	1	
	Limestone Whisper	ES820620001	5 L	1	
	Desert Greige	ES820720001	5 L	1	
	Golden Dune	ES820820001	5 L	1	
	Sandy Shore	ES820920001	5 L	1	
	Chalky Taupe	ES821020001	5 L	1	
	Sage Terrain	ES821120001	5 L	1	
	Earthy Olive	ES821220001	5 L	1	
	Granite Grey	ES821320001	5 L	1	
	Slate Stone	ES821420001	5 L	1	
	Dusk Rock	ES821520001	5 L	1	

Resilient System	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Classic Collection

	Custom	EC800020001	5 L	1	
LIGHT IVORY	RAL 1015	EC814720001	5 L	1	
PIGEON BLUE	RAL 5014	EC801620001	5 L	1	
BASALT GREY	RAL 7012	EC802620001	5 L	1	
AGATE GREY	RAL 7038	EC811720001	5 L	1	

Bona R Creative Chips

Acrylate-based paint chips for a livelier impression. Used in combination with Bona Pure Colour.

	Earthy Charm	ES216013001	1 kg	1	
	Raw Umber	ES216113001	1 kg	1	
	Alabaster Beige	ES216213001	1 kg	1	
	Desert Greige	ES216313001	1 kg	1	
	Chalky Taupe	ES216413001	1 kg	1	
	Salt & Pepper	ES200013501	1 kg	1	
	Black & White	ES200013502	1 kg	1	
	Terra-mix	ES200013503	1 kg	1	

COATINGS | RESILIENT

Resilient ESD System

Bona Pure ESD Clear

Bona Pure ESD Clear is a durable, highly transparent topcoat able to dissipate static electricity and transport it to ground. It is used as a standalone product for renovation of existing conductive floors.

Key Benefits:

- Durable PUR protection for resilient floors
- Fast curing in only 12 hours for minimal downtime.
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 15–20 m^2/L and application

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet
Matt	ES251620001	5 L	3	36
Hardener	ES205045001	0.45 L	3	

Bona Pure ESD Vibrant

Used in conjunction with Bona Pure Colour ESD base paint, Bona Pure Vibrant is a durable topcoat able to dissipate static electricity and transport it to ground. It has a high resistance to chemicals and common disinfectants.

Key Benefits:

- Durable PUR protection for resilient floors
- Fast curing in only 12 hours for minimal downtime.
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Roller (11 mm)
Coverage: 15-20 m^2/L and application

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet
Matt	ES250620001	5 L	3	36
Hardener	ES205045011	0,45 L	3	

Bona Pure Colour ESD

Bona Pure Colour ESD is a waterborne base paint available in three versatile colours. It is heavily pigmented for exceptional coverage and is quick drying for minimal downtime. When used for renovating floors it improves the conductive properties and restores a high level of electrostatic safety.

Key Benefits:

- Heavily pigmented for exceptional coverage
- Quick-drying for minimal downtime
- Restores the conductivity of ESD floors
- Meets EN 61340-5-1:2001 standard

Technical Data:

Category: Waterborne 2-comp
Drying time: 1-3 h between coats
Application tools: Bona Polyester Roller
Coverage: 10-12 m^2/L and application

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet
PIGEON BLUE	RAL 5014	EC805620001	5 L	1	
PASTEL TURQUOISE	RAL 6034	EC801620001	5 L	1	
AGATE GREY	RAL 7038	EC804620001	5 L	1	

- ✓ **SUPERB WEAR & CHEMICAL RESISTANCE**
- ✓ **BACK ON THE FLOOR AFTER 12H**
- ✓ **LONG-LASTING PROTECTION**

COMMERCIAL

A NEW & IMPROVED **STAR** FOR RESILIENT FLOORS

Bona Pure HD for exceptional wear and chemical resistance

Bona®

SANDING | MACHINES

FlexiSand System

Type	Article Number	Volts/Hertz	Pcs/transport package	Effect

Bona FlexiSand 1.9

Powerful and versatile buffer for all flooring needs, from sanding resilient surfaces to concrete grinding. The Bona FlexiSand 1.9 is the core of a flexible and powerful system with tools and accessories to handle any kind of renovation challenge, from sanding resilient surfaces, sanding wood floors, fine abrading, to concrete grinding. The smart, compact design makes it both capable and easy to handle. Upgraded with user-friendly features like surrounding ambient LED lights, a kickstand to avoid pressure on discs, a magnetic click-on weight and a backlit multimeter with better power supply information.

Key Benefits:

- Powerful single-speed motor
- Foldable handle reduces space during transportation
- Large wheels for easy transportation
- Bona Power Drive ready

Technical Data:

Abrasive disc speed: 147 rpm
Motor Power: 1.9 kW
Total weight: 50 kg
Height/Width/Depth: 1170 mm / 490 mm / 640mm

Ø 407 mm	AMO310003	230 V / 50 Hz	1	1.9 kW

Bona FlexiSand 1.5

Versatile buffer that is effective for a wide variety of floor preparation and sanding jobs. Bona FlexiSand 1.5 can be equipped with different drive plates for different jobs. With its powerful 1.5 kW motor and robust construction, the FlexiSand always operates smoothly. Compatible with the unique Bona Power Drive, allows for powerful and direction-free sanding.

Key Benefits:

- Powerful single-speed motor
- Foldable handle reduces space during transportation
- Large wheels for easy transportation

Technical Data:

Abrasive disc speed: 147 rpm
Motor Power: 1.5 kW
Total weight: 45 kg
Height/Width/Depth: 1170 mm / 490 mm / 640mm

Ø 407 mm	AMO310001	230 V / 50 Hz	1	1.5 kW

Bona Power Drive

(Internal Spur Gear not included. See next page)

The innovative Bona Power Drive, to be used exclusively with the Bona FlexiSand 1.5 and 1.9, sets the standard for sanding premium floors. Using a direction-free sanding technique, the drive combines excellent performance with easy operation. Four rotating discs sand closely to the walls reducing the need for edge sanding. The geared plate and revolving discs also deliver increased power for excellent performance.

Key Benefits:

- For powerful rotary sanding to bare wood
- Reduces need for edge sanding. Only leaves a 3 cm strip against the wall.
- Delivers a fantastically fine and smooth sanding result
- Failsafe, no risk of drum marks and similar

Technical Data:

Compatible with: Bona FlexiSand 1.5 / 1.9
No. of discs: 4
Disc diam.: 150 mm
Weight: 6.7 kg
Dimensions: 410 mm / 410 mm / 93 mm

Ø 407 mm	ASK3199940997	4 x Ø 150 mm	1	

SANDING | MACHINES

FlexiSand System	Type	Article Number	Packaging	Pcs/transport package	Package/ Pallet

Internal Spur Gear



Gear ring for the Bona FlexiSand. Necessary if your FlexiSand is not already equipped with this.

	ASK4099941643	1	1	

Bona Quattro Disc

Four-plate disc for an excellent surface finish. Perfect for reducing and smoothing out drum marks and rotational scratches from edger machines. The Bona Quattro Disc will optimise your sanding results and is perfectly balanced for high efficiency combined with smooth end results.

Ø 407 mm	ASO312530	4 x Ø 150 mm	1	

Replacement Pad Set

Replacement for broken or used pads for the Quattro Disc.

Ø 150 mm	ASO319934		4	

Bona Power Drive Connect

Use Bona Box XL for storage and transportation

Using a unique direction-free sanding and brushing technique, Bona Power Drive Connect combines excellent performance with easy operation. Mounted on the Bona FlexiSand, it can remove thick layers of lacquer, replacing the need for conventional belt sanding. Its click-on mount enables you to switch between disc and brush within a minute. The drive plate is easy to manoeuvre in small, confined spaces and can be used regardless of the direction of the wood.

Key Benefits:

- Flexible - one drive plate for both sanding and brushing jobs.
- Less edge sanding needed
- Delivers a fantastically fine and smooth sanding result
- Fail safe, no risk of drum marks and similar

Technical Data:

Compatible with: Bona FlexiSand 1.9
No. of discs: 4
Disc diam.: 150 mm

Ø 407 mm	ASK3199942981	4 x Ø 150 mm	1	

Bona Power Drive Connect Sanding Disc

Intermediate disc for mounting velcro abrasive discs.

Ø 150 mm	ASK3199941010	1	4	

SANDING | MACHINES

FlexiSand System	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona Resilient Brush

Nylon brushes to be mounted onto Power Drive Connect, using click-on technology. Use for cleaning and sanding of different types of resilient flooring.

Ø 150 mm	ASK3199941040	1	4	

Bona Power Drive Connect Diamond Blades

Innovative discs for efficient dry stripping of old care product from resilient floors. Saves up to 60% time in comparison to standard chemical processes. The diamond coated spring metal construction creates good air flow and cool running while maintaining high sanding efficiency, allowing the floor to be sanded dry without clogging.

Ø 150 mm	ASK4099941643	1	4	

Bona Diamond Blades Spare blades

Spare blades for the Bona Power Drive Connect Diamond Blades.

	ASK4000030634	1	6	

Bona Pad Drive

The Bona Pad Drive is delivered with the Bona FlexiSand. A multipurpose tool that can be used to drive different pads and abrasive materials for a large number of applications including cleaning, buffing and superficial sanding.

Ø 407 mm	ASO312501		1	

LED light bar

Surround LED light bar that emits a strong, cool light with uniform illumination all around the machine. Having a clear view of your work is essential for achieving outstanding results. With the LED light bar mounted on your Bona FlexiSand you will have perfect visibility of the floor even if the room lighting is poor. The light bar is easy to attach and to remove.

LED	ASK3199944000	230 V	1	50 Hz/60 Hz

SANDING | MACHINES

FlexiSand System

Type	Article Number	Packaging	Pcs/transport package	Package/ Pallet

Magnetic extra weight

Optimised 11 kg weight with a magnetic click-on connection for an easy switch of the load depending on the sanding operation. The added weight to the machine gives a more powerful sanding, making it particularly effective for coarse sanding and removing adhesive residues.

ASK3199940015	11 kg	1	

Kickstand

The kickstand with wheels protects both the floor surface and the Bona FlexiSand by removing the repeated pressure on the sanding discs. When tilted, it allows for handling the machine safely and easily during abrasive and sanding plate changes.

ASK3199940061	1.9 kg	1	

Orbital Sanders

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona Orbital

Bona Orbital is a precision sander particularly suitable for mid and fine sanding. Its compact dimensions and low weight makes the machine easy to handle and allows you to work for longer periods of time without getting tired. The powerful brushless EC motor is characterised by low noise, high efficiency and low maintenance.

Key Benefits:

- Efficient and low-noise sanding
- Easy to operate
- Smart and handy carrying box
- Gentle for your hand and arm
- Mid and fine sanding

Technical Data:

Power: 1400 W 230 V – 50/60 Hz
Speed: 4000-10000 rpm
Disc diameter: 150 mm
Weight: 1,15 kg

Ø 150 mm	AMO300001	1	1	

Bona Fusion Pad

Bona Fusion Pad for Bona Orbital or other Orbital Sander with universal thread: with burnished screw 5/16 “UNF and washers. Available in two different hardness classes, medium and hard. Dimensions: Ø 150 mm

Medium	AA69011000	1	1	
Hard	AA69012000	1	1	

SANDING | MACHINES

Dust-free Sanding

Bona DCS 50

Powerful & compact vacuum unit intended for both dry and wet cleaning. As part of the Bona Dust-free sanding solution, Bona DCS 50 collects the fine dust from all Bona sanding machines.

Key Benefits:

- Dust-free sanding
- For both dry and wet cleaning
- Dust class M
- Power outlet with auto-start function
- Light and handy

Technical Data:

Weight: 19 kg
Dimensions: 640 × 370 × 1045 mm
Dust holding capacity: 50 L
Motor power: 230 V, 50–60 Hz, 1,38 kW
Hose length: 5 m

Article Number	Packaging	Pcs/transport package	Package/ pallet
AM11484430	1	1	

Fleece Filter Bag

Fleece FIlter bag for DCS 50.

Article Number	Packaging	Pcs/transport package	Package/ pallet
AS3628893540	1	10	

Flat pleated filter

Universal flat pleated filter for Bona DCS 50 for both wet and dry vacuuming. Certified for dust classes M and L, with a dust containment efficiency of 99.9 %. The filter is made of PES fiber material and is rot-proof and insensitive to moisture, making it ideal for vacuuming liquids, fine dust and coarse dirt.

Article Number	Packaging	Pcs/transport package	Package/ pallet
AS3628893550	1	10	

EMPOWERING SANDING

Bona FlexiSand 1.9 – Next level of user experience

Bona FlexiSand 1.9 is the go-to machine for professionals, known for its unmatched power, versatility, and ease of use. Enhanced with features like an ambient LED light, kickstand, magnetic weight, and backlit multimeter, it offers a cutting-edge sanding experience. Pair it with Bona's top-notch abrasives for next-level results.

bona.com/flexisand

Bona®

SANDING | ABRASIVES

Bona Diamond Abrasive Disc

Made using the hardest sanding agents in the world, Bona Diamond Abrasives are unique, delivering unparalleled sanding efficiency, durability and surface smoothness – whether sanding on bare wood or in preparation for recoating. Because the diamond grits are hard but not sharp, the result after fine sanding is a smooth, virtually scratch-free surface.
Bona Diamond Abrasives last up to 12 times longer than conventional screens and deliver consistent performance, even after 100 m^2 of sanding. And thanks to its unmatched hardness, each disc maintains its sanding performance throughout its lifetime.

Key Benefits:

- Longer lasting
- Perfect evenness
- Better surface
- Safe recoating

Abrasives	Dimension	Grit	Article Number	Packaging	Pcs/transport package
	Ø 150 mm	Grit 80	AAS472000808	1	8
	Ø 150 mm	Grit 120	AAS472001208	1	8
	Ø 125 mm	Grit 240	AAS471902408	1	12
	Ø 150 mm	Grit 240	AAS472002408	1	8

Bona Net Ceramic

The Bona Net Ceramic is mainly intended to be used for orbital or rotary sanders, such as Bona SupraFlex, Bona Orbital or similar. It can also be used attached to Bona Power Drive for medium sanding or removal of joint filler.

Key Benefits:

- Minimal clogging
- Good dust extraction
- Very high removal rate
- Independent on machine hole system

Technical Data:

Grit type: Ceramic Aluminium Oxide
Grit range: 80
Size: 150 mm
Backing: Knitted fabric
Coating: Electrostatic
Bonding: Resin over resin

Ø 150 mm	Grit 80	AAS473200806	1	50
Ø 150 mm	Grit 100	AAS473201006	1	50
Ø 150 mm	Grit 120	AAS473201206	1	50

Bona 8700 Ceramic Disc



Ø 100 mm	Grit 36	AAS472800365	1	25
Ø 100 mm	Grit 50	AAS472800505	1	25
Ø 125 mm	Grit 36	AAS471600365	1	25
Ø 125 mm	Grit 50	AAS471600505	1	25
Ø 150 mm	Grit 36	AAS471700365	1	25
Ø 150 mm	Grit 50	AAS471700505	1	25
Ø 178 mm	Grit 36	AAS471800365	1	25
Ø 178 mm	Grit 50	AAS471800505	1	25

SANDING | ABRASIVES

Pads

Bona Intermediate Pad

A pressure-equalising foam pad that has the ability to follow the contours of the surface.

Dimension	Grit	Article Number	Packaging	Pcs/transport package
Ø 125 mm		AAS472102408	1	3
Ø 150 mm		AAS472200008	1	4

Bona Superpad 407 mm

Thick pad for Bona FlexiSand and Bona Buffer.

White	AAS867300058	Ø 407 mm x 25 mm	5
Tan	AAS867300038	Ø 407 mm x 25 mm	5
Red	AAS867300048	Ø 407 mm x 25 mm	5
Green	AAS867300028	Ø 407 mm x 25 mm	5
Brown	AAS867300068	Ø 407 mm x 25 mm	5
Black	AAS867300018	Ø 407 mm x 25 mm	5

Bona Scrad Pad

Abrasive pad for Bona FlexiSand and Bona Buffer. Used together with a Bona Scrad Wing it forms a unique abrasive system developed for cutting back grain raise between coats of finish. Minimises scratches.

Ø 407 mm x 8 mm	Grit 320	AAS854303208		5
Ø 330 mm x 8 mm	Grit 320	AA970740		5

Bona Fiber Pad

Premium Sanding Pad developed for aggressive cleaning and polish removal.

AA32153016	Ø 407 mm	1

Bona Fiber Pad Velcro Backing

Fiber pad with velcro backing for aggressive cleaning and polish removal.

AA32153180	Ø 180 mm	1
AA32153150	Ø 150 mm	1

FLOOR CARE

Bona PowerScrubber 2.0

The Bona PowerScrubber is a versatile and powerful scrubbing machine for cleaning of most indoor floor surfaces. Bona PowerScrubber 2.0 enables the most effective deep-down cleaning, combined with unrivaled versatility and ease. Counter-rotating roller brushes provide deep, effective cleaning while the powerful, yet compact design of Bona PowerScrubber 2.0 delivers even more performance than most auto scrubbers, as well as the benefits of ergonomic operation, set-up and transportation.

Key Benefits:

- Effective deep clean
- Wide range of surfaces
- Ergonomic design and operation
- Easy to fill, assemble and transport

Technical Data:

Motor rating: Max 2700 W, Avg. 1900 W
Power supply: 230 V / 50 Hz
Machine weight: 34.5 kg
Scrubbing brush: 2 x 400 mm soft white nylon
Solution capacity: 10 L
Recovery tank capacity: 10 L
Dimensions: 520 mm x 470 mm x 300 mm

Floor Care	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet
		AM400201100	1	1	

Power Scrubber Roller Brushes

White – For stone floors.
Red – For resilient floors.
Green – For stone floors (not high gloss).
Black – For cleaning concrete

White	AS3647622500	400 mm	1	
Red	AS3647624580	400 mm	1	
Green	AS3647622520	400 mm	1	
Black	AS3647624810	400 mm	1	

Bona Commercial System Kit

Lightweight yet sturdy telescopic pole made of brushed aluminium for superior durability. The 60 cm wide mop base is specially designed with a raised edge that helps trap dirt and increases scrubbing pressure. Delivered with 1 Dusting Pad and 1 Cleaning Pad.

60 cm	WM710013489	1	10	

Commercial Line Dusting Pad

Pad, designed to be used dry. Consisting of a special mix of short and long fibres with an electrostatic charge to trap and remove loose dust, dirt and debris, quickly and safely from floors.

60 cm	AX0003543	1	12	

Commercial Line Cleaning Pad

Pad, designed to be used wet. Consisting of highly absorbent microfibre to effectively trap and lift dust, dirt, and grime from surfaces.

60 cm	AX0003544	1	12	

FLOOR CARE

Resilient — Maintenance

Bona PowerRemove R

Aggressive cleaning agent developed for stripping polish, dirt and old cleaning residue from resilient floor coverings such as PVC, Linoleum, LVT, or Rubber. Quick and efficient.

Key Benefits:

- For quick removal of old maintenance coatings and contaminants
- Very high degree of efficiency
- Reduced pH prevents alkaline staining

Technical Data:

pH-value: approx. 10.5 (conc.)
Dilution: 1:4 - 1:19 or 5-20% added to clean water

Article Number	Packaging	Pcs/transport package	Package/ pallet
EM703020001	5 L	3	44

Bona Clean R50

Bona Clean R50 is particularly suited for the routine cleaning of resilient flooring treated with products from the Bona Resilient System. It may be used for daily cleaning, as well as to remove severe soiling. Bona Clean R50 is also suitable for use in automatic cleaning systems.

Key Benefits:

- Gentle, yet effective, even at low dosage
- Highly concentrated
- Low foaming

Technical Data:

pH-value: approx. 9 (conc.)
Dilution: Normal Cleaning: 50 ml to 10 L water (1:200)
Intensive Cleaning: 250 ml to 10 L water (1:40)

Article Number	Packaging	Pcs/transport package	Package/ pallet
EM701020001	5 L	3	44

Bona Shield R

Bona Shield R is a polyurethane reinforced maintenance coating developed specifically for surfaces treated with a Bona Pure coating. However, it can also be used on other resilient surfaces, such as linoleum and PVC.

Key Benefits:

- High durability
- Quick drying
- Comfortable friction

Technical Data:

Dilution: Do not dilute
Drying time: 1-2 hours at 20°/60% R.H.

	Article Number	Packaging	Pcs/transport package	Package/ pallet
Matt	EP501320001	5 L	3	44
Gloss	EP597020001	5 L	3	44

FLOOR CARE

Sports — Maintenance

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona SuperSport Cleaner

Concentrated slightly alkaline detergent specifically designed for frequent cleaning of indoor sports surfaces. Bona SuperSport Cleaner is gentle on the surface yet will effectively remove grease and grime, leaving no slippery or greasy film. Low foaming formula, suitable for auto scrubber as well as manual application.

Key Benefits:

- Low foaming
- Leaves no slippery residue
- Safe on wood

Technical Data:

Dilution: 1:100 for general use

	WM763020001	5 L	3	44

Bona SuperSport Deep Clean

Designed for occasional cleaning of indoor sports floors to remove black heel marks, handball glue as well as build-up of body fats and other contaminants that may make the surface slippery.

Key Benefits:

- Degreases floor and restores friction
- Removes scuff marks
- Removes certain types of handball glue

Technical Data:

Dilution: 1:5

ML1	WM636020001	5 L	3	44

Tools & Accessories

Type	Article Number	Packaging	Pcs/transport package	Package/ pallet

Bona SuperCoat Roller

Quality roller with a polyester pile for correct application rate of lacquer. 11 mm pile.

10 cm	AT31002310	1	10	
25 cm	AT31002325	1	1	
38 cm	AT31002338	1	1	

Roller Handle – 10 cm

Handle for 10 cm rollers.

10 cm	AT31004000	1		

TOOLS & ACCESSORIES

Tools & Accessories	Type	Article Number	Packaging	Pcs/transport package	Package/ pallet
Roller Handle – 25 cm	Corrosion resistant handle for 25 cm rollers.				
	25 cm	AT31014001	1		
Roller Handle 30-50 cm	Adjustable aluminium handle for 30-50 cm wide rollers.				
	30-50 cm	AT31002800	1	5	
Bona Extension Bar, quick release	Professional extension bar in aluminium with quick-release locking function.				
	110-200 cm	AT31401002	1		
Bucket with Castors	For easy application of resilient coatings.				
	22 L	AT31008032	1		
Resilient shoe cover	Blue and white resilient shoe covers.				
		AT33054000	1	100	
Master Ventilator DF-20P	Fan that is suitable for accelerating the drying time to enable faster work.				
		AS0902010	230 V		

©Bona AB, Sweden All rights reserved

Bona®

Established in 1919, Bona is a world leading innovator with a unique system for resilient floor treatment. Through subsidiaries and distributors we have local presence in more than 90 different countries enabling us to be close to our customers and craftsmen.

Our long commitment and passion for floors enable us to offer lasting, sustainable results that meet floor needs for professionals and floor owners alike.