

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

### \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **CONIFLOOR EP 455 CR,P.A**

UFI: T693-U0CN-G00U-0H59

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use: Industrial or professional use

**Application of the substance / the mixture** Coating material

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

Conica AG  
Industriestrasse 26  
CH-8207 SCHAFFHAUSEN  
SWITZERLAND

##### Further information obtainable from:

Product Safety Management  
ehsqm@conica.com  
+41 52 644 3600

#### 1.4 Emergency telephone number:

Tox Info Suisse  
+41 44 2 51 51 51

### \* SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B

H360F May damage fertility.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

GHS07

Skin Irrit. 2      H315 Causes skin irritation.  
 Eye Irrit. 2      H319 Causes serious eye irritation.  
 Skin Sens. 1      H317 May cause an allergic skin reaction.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

**Hazard pictograms**

GHS07 GHS08 GHS09

**Signal word Danger****Hazard-determining components of labelling:**

2,2'-[{(1-methylallylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane  
 oxirane, mono[(C12-14-alkyloxy)methyl] derivs  
 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol  
 Bisphenol F-epichlorhydrin resin

**Hazard statements**

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H360F May damage fertility.  
 H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P261      Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P273      Avoid release to the environment.  
 P280      Wear protective gloves / eye protection / face protection.  
 P302+P352    IF ON SKIN: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P311    IF exposed or concerned: Call a POISON CENTER/doctor.  
 P391      Collect spillage.

# Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A****Additional information:**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:**

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**vPvB:**

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**Determination of endocrine-disrupting properties**

The substance/mixture does not contain components that exhibit endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

## \* **SECTION 3: Composition/information on ingredients**

**3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.

<b>Dangerous components:</b>		
CAS: 1675-54-3 EINECS: 216-823-5 Reg.nr.: 01-2119456619-26	2,2'-[1-methylethylidene]bis(4,1-phenyleneoxymethylene)] bisoxirane  Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317  Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	25-50%
EC number: 700-960-7	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol  Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 PBT; vPvB	≥2.5-<10%
CAS: 9003-36-5 EC number: 701-263-0 Reg.nr.: 01-2119454392-40	Bisphenol F-epichlorhydrin resin  Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥2.5-<10%
CAS: 933999-84-9 EC number: 618-939-5 Reg.nr.: 01-2119463471-41	Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥2.5-<10%

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO <sub>2</sub> ) STOT RE 1, H372	≥2.5-<10%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17	titanium dioxide Carc. 2, H351	≥1-≤2.5%
CAS: 68609-97-2 EINECS: 271-846-8 Reg.nr.: 01-2119485289-22	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Repr. 1B, H360F; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.3-<1%

**SVHC**

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If symptoms persist consult doctor.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

Water haze

Foam

Fire-extinguishing powder

Carbon dioxide

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

Keep out of the reach of children.

Store in the original container.

Carefully close opened containers and store upright to prevent any leakage.

Protect from frost, heat and sunlight.

Store in a dry place.

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep container tightly sealed.

**7.3 Specific end use(s)** For further information, see also the technical data sheet for the product.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

Trade name: CONIFLOOR EP 455 CR,P.A

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

##### Respiratory protection:

There is no respirable dust fraction in the liquid product.

Respiratory protection in case of insufficient ventilation. Combination filter A/P2, alternatively combination filter for organic, inorganic, acidic inorganic and alkaline gases/vapours (e.g. EN 14387 type ABEK).

##### Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### Material of gloves

The selection of suitable gloves depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer.

Butyl rubber (butyl).

If there is prolonged or frequently repeated contact, a glove with a protection class of 5 or higher is recommended (breakthrough time greater than 240 minutes according to EN374).

For short-term contact, a glove with a protection class of 3 or higher is recommended (breakthrough time greater than 60 minutes according to EN374).

##### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

Trade name: CONIFLOOR EP 455 CR,P.A

### Eye/face protection



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

**Physical state**

Liquid

**Colour:**

Different according to colouring

**Odour:**

Characteristic

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

>200 °C (9003-36-5 Bisphenol F-epichlorhydrin resin)

**Flammability**

Not applicable.

**Lower and upper explosion limit**

**Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

>93 °C

**Auto-ignition temperature:**

Not determined.

**Decomposition temperature:**

Not determined.

**pH**

Mixture is non-soluble (in water).

**Viscosity:**

**Kinematic viscosity**

Not determined.

**Dynamic at 23 °C:**

5000-6000 mPas

**Solubility**

**water:**

Not miscible or difficult to mix.

**Partition coefficient n-octanol/water (log value)**

Not determined.

**Vapour pressure:**

Not determined.

**Density and/or relative density**

**Density at 23 °C:**

1.43 g/cm<sup>3</sup>

**Relative density**

Not determined.

**Vapour density**

Not determined.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

### 9.2 Other information

**Appearance:**

**Form:** Liquid

**Important information on protection of health and environment, and on safety.**

**Ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard.

**Solvent content:**

**Organic solvents:** 0.56 %

**VOC (EC)** 0.56 %

**Change in condition**

**Evaporation rate** Not determined.

### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### \* SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
<b>1675-54-3 2,2'-(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane</b>		
Oral	LD50	15000 mg/kg (rat)
Dermal	LD50	23000 mg/kg (rabbit)
<b>9003-36-5 Bisphenol F-epichlorhydrin resin</b>		
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
<b>933999-84-9 Reaction products of hexane-1,6-diol with 2-(chloromethyl)oxirane (1:2)</b>		
Oral	LD50	2190 mg/kg (rat)
<b>13463-67-7 titanium dioxide</b>		
Oral	LD50	>20000 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

#### Primary irritant effect:

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye irritation.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** May damage fertility.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

### \* SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity:

**1675-54-3 2,2'-(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane**

EC50 1.8 mg/kg (daphnia)

**9003-36-5 Bisphenol F-epichlorhydrin resin**

EC50 2.55 mg/kg (daphnia)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

##### 12.5 Results of PBT and vPvB assessment

##### PBT:

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

##### vPvB:

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

#### 12.7 Other adverse effects

**Remark:** Toxic for fish

##### Additional ecological information:

##### General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

### \* SECTION 13: Disposal considerations

Disposal in compliance with all applicable international, national and local laws, regulations and statutes. For disposal within the EU, the respective valid waste code according to the European Waste Catalogue (EWC) must be used.

The user is responsible for the correct coding and labelling of the waste produced.

#### 13.1 Waste treatment methods

Packaging must be emptied immediately after the last product has been removed (drip-free, free-flowing, spatula-clean). The completely emptied packaging can be handed over to a professional disposal company; in the EU, this is done on a packaging-specific basis via the collection points of the existing take-back systems of the chemical industry. The product and hazardous substance labelling must remain on the packaging.

Alternatively, the product and hazardous substance labelling can be removed after the product residues

# Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

adhering to the walls have been rendered harmless. This packaging can also be handed in for recycling at the collection points of the existing take-back systems of the chemical industry. Recycling must be carried out in accordance with national legislation and environmental protection regulations.

No disposal via waste water.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

<b>14.1 UN number or ID number</b>	
ADR, IMDG, IATA	UN3082
<b>14.2 UN proper shipping name</b>	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin, Bisphenol F-epichlorhydrin resin)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin, Bisphenol F-epichlorhydrin resin), MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin, Bisphenol F-epichlorhydrin resin)
<b>14.3 Transport hazard class(es)</b>	
ADR, IMDG, IATA	
	
<b>Class</b>	9 Miscellaneous dangerous substances and articles.
<b>Label</b>	9
<b>14.4 Packing group</b>	
ADR, IMDG, IATA	III
<b>14.5 Environmental hazards:</b>	Product contains environmentally hazardous substances: epoxy resin
<b>Marine pollutant:</b>	Yes
	Symbol (fish and tree)
<b>Special marking (ADR):</b>	Symbol (fish and tree)

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

<b>Special marking (IATA):</b>	Symbol (fish and tree)
<b>14.6 Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles.
<b>Hazard identification number (Kemler code):</b>	90
<b>EMS Number:</b>	F-A,S-F
<b>Stowage Category</b>	A
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>Transport category</b>	3
<b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN, BISPHENOL F-EPICHLORHYDRIN RESIN), 9, III

### SECTION 15: Regulatory information

#### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Poisons Act**

<b>Regulated explosives precursors</b>
None of the ingredients is listed.
<b>Regulated poisons</b>
None of the ingredients is listed.
<b>Reportable explosives precursors</b>
None of the ingredients is listed.
<b>Reportable poisons</b>
None of the ingredients is listed.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category E2** Hazardous to the Aquatic Environment

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A****Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 30**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**National regulations:****Other regulations, limitations and prohibitive regulations****Please note:** Relevant identified use: Industrial or professional use**Substances of very high concern (SVHC) according to UK REACH**

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**15.2 Chemical safety assessment:** A chemical safety assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H360F May damage fertility.

## Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version number 3

Revision: 03.04.2025

**Trade name: CONIFLOOR EP 455 CR,P.A**

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**Date of previous version:** 28.08.2023

**Version number of previous version:** 2

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**